



VACUUM DEGASSERS

System Voltage	: 220 , 230 V $\pm$ 10% / 50 Hz
Connection Sizes	: 1/2" , 3/41
Operating Temp.	: 0 - 90 °C
Range Ambient Temp.	: 0 -40 °C
Range Feature	: Standby Mode




Product Code
VIRA-DEG



AUTOMATIC AIR VENTS

Body	: Brass / Nickel Coated
Float	: PP - Polypropylene
Max. Work. Temp.	: 110 °C
Max. Work Pressure	: 10 Bar




Product Code
SV-D



DIRT SEPARATORS

Body	: Brass / Nickel Coated
Float	: PP - Polypropylene
Max. Work. Temp.	: 110 °C
Max. Work Pressure	: 10 Bar



Product Code
SD-D



MAGNETIC DIRT SEPARATORS

Body Magnet	: PA
Magnet	: Neodymium
Magnet Power	: 9.000 Gauss



Product Code
SD-Y-M / SD-D-M



DEAERATOR / AIR SEPARATOR

Body : Carbon Steel - ST37
 Size : DN 50 - 600
 Max. work. Temp. : 110 °C
 Max. Work. Pressure. : 10 Bar



Product Code
 SV



DIRT SEPARATORS

Body : Carbon Steel - ST37
 Size : DN 50 - 600
 Max. work. Temp. : 110 °C
 Max. Work. Pressure. : 10 Bar



Product Code
 SD



MAGNETIC DIRT SEPARATOR

Size : Carbon Steel - ST37
 Body : DN 50 - 600
 Max. work. Temp. : 110 °C
 Max. Work. Pressure. : 10 Bar



Product Code
 SD-M



DEMOUNTABLE DIRT SEPARATOR

Body : Carbon Steel - ST37
 Size : DN 50 - 600
 Max. Work. Temp : 110 °C
 Max. Work. Pressure : 10 Bar



Product Code
 SD-T



DEMOUNTABLE AIR AND DIRT SEPARATORS

Body : Carbon Steel - ST37
 Size : DN 50 - 600
 Max. Work. Temp : 110 °C
 Max. Work. Pressure : 10 Bar



Product Code
 SC-T



AIR AND DIRT SEPARATOR

Body : Carbon Steel - ST37
 Size : DN 50 - 600
 Max. Work. Temp : 110 °C
 Max. Work. Pressure : 10 Bar




Product Code
 SC



HYDRAULIC SEPARATOR

Body : Carbon Steel - ST37
 Size : DN 50 - 600
 Max. Work. Temp : 110 °C
 Max. Work. Pressure : 10 Bar



Product Code
 SCX



MAGNETIC AIR & DIRT SEPARATOR

Body : Carbon Steel - ST37
 Size : DN 50 - 600
 Max. Work. Temp : 110 °C
 Max. Work. Pressure : 10 Bar
 Magner Power : 11.000 Gauss



Product Code
 SC-M



MAGNETIC DEAERATOR, DIRT AND HYDRAULIC SEPARATOR

Body	: Carbon Steel - ST37
Size	: DN 50 - 600
Max. Work. Temp	: 110 °C
Max. Work. Pressure	: 10 Bar
Magnet Power	: 11.000 Gauss



Product Code
SCX-M



MAGNETIC DEAERATOR, DIRT AND HYDRAULIC SEPARATOR

Body	: Carbon Steel - ST37
Size	: 1" - 2"
Max. Work. Temp	: 110 °C
Max. Work. Pressure	: 10 Bar
Magnet Power	: 11.000 Gauss




Product Code
SCX-D-M



HYDRAULIC BALANCING TANK

Body	: Carbon Steel - ST37
Size	: DN 50 - 600
Max. Work. Temp	: 110 °C
Max. Work. Pressure	: 10 Bar




Product Code
SB



VIRAJAC - INSULATION JACKET

Touch Temperature (Exterior) of jackets	: < 45 °C
Classification Temperature	: 260 °C
Working Temperature	: 230 °C
Density	: 140 kg/m3
Color	: Gray



Product Code
VIRAJAC



VERTICLE SEPARATOR

Body : Carbon Steel - ST37
 Size : DN 50 -600
 Max. Work. Temp : 110 °C
 Max. Work. Pressure : 10 Bar



Designed For
VERTICLE LINES



CHEMICAL DOSING POTS

Vessel : Stainless Steel
 Tundish : Stainless Steel
 Size : 5l , 50l
 Max. Working Pressure : 10 Bar
 Max. Temperature : 90 °C
 Hydraulic Testing Pressure : 16 Bar




Product Code
VDK



V-FORCE-Y MAGNETIC SEPARATOR

Maximum working pressure : 10 Bar
 Maximum working temperature : 100 °C
 Magnet : Neodymium
 Product side seal : EPDM



Product Code
V-FORCE-Y



V-FORCE-D MAGNETIC SEPARATOR

Maximum Working pressure : 10 Bar
 Maximum working temperature : 100 °C
 Product side seal : EPDM
 Magnet : Neodymium



Product Code
V-FORCE-D





New solutions for HVAC... Problem-free



Vira products provide solutions to the problems.

Vira is a young, dynamic and expert company regarding production of separators, valves and steam related products. To meet our customers needs, we offer customers a combination of our application experience, on going technical support, correct installation and commissioning ability with our high quality products.

Vira provides durable, high-quality valves and steam related products that are used in many kinds of applications, from unique custom jobs to large scale installations.

- Automatic Air Vent
- Solar Automatic Air Vent
- Deaerators
- Dirt Separators
- Hydraulic Balance Tanks
- Butterfly Valves
- Ball Valves
- Check Valves
- Expansion Joints
- Safety Valves
- Actuators
- Steam Separators
- Condensate Pump
- Sample Coolers
- Steam Boiler Automation
- Automatic Blowdown Systems
- Steam Flow Meters
- Steam Traps



Address: Metal İş San. Sitesi 11.Blok
No: 37/39 İkitelli - İstanbul

E-mail: info@viraisi.com
WebSite: www.viraisi.com

Phone: +90 (212) 549 57 70 (pbx)
Fax: +90 (212) 549 58 48



ENERGYNET

U krugu dobre energije

Energy Net doo
Temerinska 111, Novi Sad
Zrenjaninski put 92E, Beograd



066 / 090 090



www.energynet.rs



korisnickapodrska@energynet.rs